

SAFETY DATA SHEET

CP



Version 1.1 Revision Date: 2025/01/24 SDS Number: 600000000018 Date of last issue: 2024/11/06 Date of first issue: 2024/11/06

1. PRODUCT AND COMPANY IDENTIFICATION

Chemical product name : CP

Supplier's company name, address and phone number

Company name of supplier : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3
82049 Pullach

E-mail address : contact@united-in.com

Emergency telephone number : +49 / 89 / 74422 – 0 (24 h)

Recommended use of the chemical and restrictions on use

Recommended use : Oxidizing agents

2. HAZARDS IDENTIFICATION

GHS classification of chemical product

Oxidizing solids : Category 3

Skin corrosion/irritation : Category 2

Serious eye damage/eye irritation : Category 1

Short-term (acute) aquatic hazard : Category 2

GHS label elements

Hazard pictograms :

Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H401 Toxic to aquatic life.

Precautionary statements : **Prevention:**
P210 Keep away from heat, hot surfaces, sparks, open flames

SAFETY DATA SHEET

CP



Version
1.1

Revision Date:
2025/01/24

SDS Number:
600000000018

Date of last issue: 2024/11/06
Date of first issue: 2024/11/06

and other ignition sources. No smoking.
P220 Keep/ Store away from clothing/ combustible materials.
P264 Wash skin thoroughly after handling.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use water spray to extinguish.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

Important symptoms and out- : May cause fire or explosion; strong oxidizer.
lines of the emergency as-
sumed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance
Chemical nature : Solid
Substance name : hydrogen peroxide-urea
CAS-No. : 124-43-6

Components

Chemical name	CAS-No.	Concentration (% w/w)	ENCS/ISHL number
hydrogen peroxide--urea	124-43-6	100	-

4. FIRST AID MEASURES

General advice : Take off contaminated clothing and shoes immediately.
Call a physician immediately.
Never give anything by mouth to an unconscious person.
If unconscious, place in recovery position and seek medical

SAFETY DATA SHEET

CP



Version
1.1

Revision Date:
2025/01/24

SDS Number:
600000000018

Date of last issue: 2024/11/06
Date of first issue: 2024/11/06

advice.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.
If breathed in, move person into fresh air.
If not breathing, give artificial respiration.
Respiratory tract burning possible if aerosols are inhaled.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.
Rinse mouth thoroughly with water.
Keep respiratory tract clear.
Do NOT induce vomiting.
If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes skin irritation.
Causes serious eye damage.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Foam
Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)

SAFETY DATA SHEET

CP



Version
1.1

Revision Date:
2025/01/24

SDS Number:
600000000018

Date of last issue: 2024/11/06
Date of first issue: 2024/11/06

Dry chemical

Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite. Do not allow run-off from fire fighting to enter drains or water courses. Cool closed containers exposed to fire with water spray.
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
	<p>Do not use a solid water stream as it may scatter and spread fire. Remove undamaged containers from fire area if it is safe to do so. Use water spray to cool unopened containers.</p>
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Follow safe handling advice and personal protective equipment recommendations. Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Remove all sources of ignition. Never return spills in original containers for re-use. Treat recovered material as described in the section "Disposal considerations".
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.

SAFETY DATA SHEET

CP



Version 1.1 Revision Date: 2025/01/24 SDS Number: 600000000018 Date of last issue: 2024/11/06 Date of first issue: 2024/11/06

Methods and materials for containment and cleaning up : Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on protection against fire and explosion : Keep away from combustible material.
Avoid dust formation.
Provide appropriate exhaust ventilation at places where dust is formed.

Advice on safe handling : Avoid formation of respirable particles.
Protect from contamination.
Do not swallow.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.

Avoidance of contact : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

Hygiene measures : Avoid contact with skin, eyes and clothing.

SAFETY DATA SHEET

CP



Version 1.1	Revision Date: 2025/01/24	SDS Number: 600000000018	Date of last issue: 2024/11/06 Date of first issue: 2024/11/06
----------------	------------------------------	-----------------------------	---

Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

Storage

Conditions for safe storage : Store in original container.
Keep in a dry place.
Store in accordance with the particular national regulations.
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Materials to avoid : Never allow product to get in contact with water during storage.
Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 30 °C

Further information on storage stability : Stable under recommended storage conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Threshold limit value and permissible exposure limits for each component in the work environment

Contains no substances with occupational exposure limit values.

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : Filter type P

Hand protection

Material	: butyl-rubber
Break through time	: 480 min
Glove thickness	: 0.47 mm

Material	: Nitrile rubber
Break through time	: 480 min
Glove thickness	: 0.20 mm

SAFETY DATA SHEET

CP



Version 1.1 Revision Date: 2025/01/24 SDS Number: 600000000018 Date of last issue: 2024/11/06
Date of first issue: 2024/11/06

Remarks	: The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.
Eye protection	: Ensure that eyewash stations and safety showers are close to the workstation location. Please follow all applicable local/national requirements when selecting protective measures for a specific workplace. Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded. Tightly fitting safety goggles Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.
Skin and body protection	: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential. Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces. Wear as appropriate: Flame retardant antistatic protective clothing.
Protective measures	: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state	: crystalline
Colour	: white
Odour	: characteristic
Odour Threshold	: No data available
Melting point/ range	: ca. 72.5 °C Decomposition
Initial boiling point and boiling	: Not applicable Decomposition

SAFETY DATA SHEET

CP



Version 1.1 Revision Date: 2025/01/24 SDS Number: 600000000018 Date of last issue: 2024/11/06 Date of first issue: 2024/11/06

range

Flammability (solid, gas)	: does not ignite, not auto-flammable
Lower explosion limit and upper explosion limit / flammability limit	
Upper explosion limit / Up- per flammability limit	: Upper explosion limit No data available
Lower explosion limit / Lower flammability limit	: Lower explosion limit No data available
Flash point	: Not applicable
Self-ignition	: The substance or mixture is not classified as pyrophoric.
pH	: 5.2 Concentration: 100 g/l
Evaporation rate	: Not applicable
Bulk density	: ca. 650 kg/m ³
Auto-ignition temperature	: not determined Decomposition
Self-Accelerating decomposi- tion temperature (SADT)	: 60 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Viscosity	
Viscosity, dynamic	: Not applicable
Viscosity, kinematic	: Not applicable
Solubility(ies)	
Water solubility	: 500 g/l soluble (20 °C)
Partition coefficient: n- octanol/water	: log Pow: 0.09 (25 °C)
Vapour pressure	: No data available
Density and / or relative density	
Relative density	: not determined
Density	: not determined
Relative vapour density	: not determined
Explosive properties	: Not explosive Avoid dust formation.

SAFETY DATA SHEET

CP



Version 1.1 Revision Date: 2025/01/24 SDS Number: 600000000018 Date of last issue: 2024/11/06 Date of first issue: 2024/11/06

Oxidizing properties	: The substance or mixture is classified as oxidizing with the category 3.
Self-heating substances	: The substance or mixture is not classified as self heating.
Molecular weight	94.07 g/mol
Particle characteristics	
Particle size	: not determined
Particle Size Distribution	: D10 = 171 µm Type of distribution: volume distribution Measurement technique: laser diffraction

10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions. May intensify fire; oxidizer.
Chemical stability	: Stable under recommended storage conditions. No decomposition if stored normally.
Possibility of hazardous reactions	: Dust may form explosive mixture in air.
Conditions to avoid	: Protect from contamination. Protect from moisture.
Incompatible materials	: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Hazardous decomposition products	: Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified due to lack of data.

Product:

Acute oral toxicity	: LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity Remarks: Not classified due to data which are conclusive although insufficient for classification.
Acute inhalation toxicity	: Remarks: No data available study scientifically unjustified

SAFETY DATA SHEET

CP



Version 1.1	Revision Date: 2025/01/24	SDS Number: 600000000018	Date of last issue: 2024/11/06 Date of first issue: 2024/11/06
----------------	------------------------------	-----------------------------	---

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: Expert judgement
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Not classified due to data which are conclusive although insufficient for classification.
Based on data from similar materials

Components:

hydrogen peroxide--urea:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 423
Assessment: The substance or mixture has no acute oral toxicity
Remarks: Not classified due to data which are conclusive although insufficient for classification.

Acute inhalation toxicity : Remarks: No data available
study scientifically unjustified

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Method: Expert judgement
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Not classified due to data which are conclusive although insufficient for classification.
Based on data from similar materials

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439
Result : Skin irritation
Remarks : Extremely corrosive and destructive to tissue.

Components:

hydrogen peroxide--urea:

Species : reconstructed human epidermis (RhE)
Method : OECD Test Guideline 439
Result : Skin irritation

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species : Bovine cornea

SAFETY DATA SHEET

CP



Version 1.1	Revision Date: 2025/01/24	SDS Number: 600000000018	Date of last issue: 2024/11/06 Date of first issue: 2024/11/06
----------------	------------------------------	-----------------------------	---

Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 437

Remarks : May cause irreversible eye damage.

Components:

hydrogen peroxide--urea:

Species : Bovine cornea
Result : Risk of serious damage to eyes.
Method : OECD Test Guideline 437

Respiratory or skin sensitisation

Skin sensitisation

Not classified due to lack of data.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Exposure routes : Skin contact
Result : Does not cause skin sensitisation.
Remarks : Based on available data, the classification criteria are not met.

Components:

hydrogen peroxide--urea:

Exposure routes : Skin contact
Result : Does not cause skin sensitisation.
Remarks : Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Genotoxicity in vitro : Test Type: Ames test
Result: positive

Genotoxicity in vivo : Test Type: in vivo assay
Result: negative
Remarks: In vivo tests did not show mutagenic effects

Components:

hydrogen peroxide--urea:

Genotoxicity in vitro : Test Type: Ames test
Result: positive

Genotoxicity in vivo : Test Type: in vivo assay

SAFETY DATA SHEET

CP



Version 1.1 Revision Date: 2025/01/24 SDS Number: 600000000018 Date of last issue: 2024/11/06
Date of first issue: 2024/11/06

Result: negative
Remarks: In vivo tests did not show mutagenic effects

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : This information is not available.

Components:

hydrogen peroxide--urea:

Remarks : This information is not available.

Reproductive toxicity

Not classified due to lack of data.

Components:

hydrogen peroxide--urea:

Effects on fertility : Remarks: No data available

Effects on foetal development : Remarks: No data available

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Product:

Species : Mouse
NOAEL : 71.8 mg/kg
Application Route : Oral

Species : Rat
NOAEL : 338.4 mg/kg
Application Route : Skin contact

Components:

hydrogen peroxide--urea:

Species : Mouse
NOAEL : 71.8 mg/kg
Application Route : Oral

Species : Rat
NOAEL : 338.4 mg/kg
Application Route : Skin contact

SAFETY DATA SHEET

CP



Version 1.1 Revision Date: 2025/01/24 SDS Number: 600000000018 Date of last issue: 2024/11/06 Date of first issue: 2024/11/06

Aspiration toxicity

Not classified due to lack of data.

Product:

No data available

Components:

hydrogen peroxide--urea:

No data available

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 : 37.4 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 5.6 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (algae): 6.8 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC10: 11 mg/l
End point: Growth rate
Exposure time: 18 h

Components:

hydrogen peroxide--urea:

Toxicity to fish : LC50 : 37.4 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 5.6 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : NOEC (algae): 6.8 mg/l
Exposure time: 72 h

Toxicity to microorganisms : EC10: 11 mg/l
End point: Growth rate

SAFETY DATA SHEET

CP



Version 1.1 Revision Date: 2025/01/24 SDS Number: 600000000018 Date of last issue: 2024/11/06 Date of first issue: 2024/11/06

Exposure time: 18 h

Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.

Components:

hydrogen peroxide--urea:

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

hydrogen peroxide--urea:

Partition coefficient: n-octanol/water : log Pow: 0.09 (25 °C)

Mobility in soil

No data available

Hazardous to the ozone layer

Not applicable

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility. The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.
Clean container with water.
Dispose of contents/ container to an approved waste disposal plant.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SAFETY DATA SHEET

CP



Version 1.1	Revision Date: 2025/01/24	SDS Number: 600000000018	Date of last issue: 2024/11/06 Date of first issue: 2024/11/06
----------------	------------------------------	-----------------------------	---

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number	:	UN 1511
Proper shipping name	:	UREA HYDROGEN PEROXIDE
Class	:	5.1
Subsidiary risk	:	8
Packing group	:	III
Labels	:	5.1 (8)
Environmentally hazardous	:	no

IATA-DGR

UN/ID No.	:	UN 1511
Proper shipping name	:	Urea hydrogen peroxide
Class	:	5.1
Subsidiary risk	:	8
Packing group	:	III
Labels	:	Oxidizer, Corrosive
Packing instruction (cargo aircraft)	:	563
Packing instruction (passenger aircraft)	:	559

IMDG-Code

UN number	:	UN 1511
Proper shipping name	:	UREA HYDROGEN PEROXIDE
Class	:	5.1
Subsidiary risk	:	8
Packing group	:	III
Labels	:	5.1 (8)
EmS Code	:	F-A, S-Q
Marine pollutant	:	no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

ERG Code : 140

SAFETY DATA SHEET

CP



Version 1.1 Revision Date: 2025/01/24 SDS Number: 600000000018 Date of last issue: 2024/11/06 Date of first issue: 2024/11/06

15. REGULATORY INFORMATION

Related Regulations

Fire Service Law

This information is not available.

Chemical Substance Control Law

Not applicable for Specified Chemical Substance, Monitoring Chemical Substance and Priority Assessment Chemical Substance.

Industrial Safety and Health Law

Harmful Substances Prohibited from Manufacture

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Substances Prevented From Impairment of Health

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 2: Information on Existing Chemicals having Mutagenicity

Not applicable

Circular concerning Information on Chemicals having Mutagenicity - Annex 1: Information on Notified Substances having Mutagenicity

Not applicable

Substances Subject to be Notified Names

Article 57-2 (Enforcement Order Table 9)

Chemical name	Concentration (%)	Remarks
hydrogen peroxide--urea		From April 1st, 2025

Substances Subject to be Indicated Names

Article 57 (Enforcement Order Article 18)

Chemical name	Remarks
hydrogen peroxide--urea	From April 1st, 2025

Ordinance on Prevention of Hazards Due to Specified Chemical Substances

Not applicable

Ordinance on Prevention of Lead Poisoning

Not applicable

Ordinance on Prevention of Tetraalkyl Lead Poisoning

Not applicable

Ordinance on Prevention of Organic Solvent Poisoning

Not applicable

Enforcement Order of the Industrial Safety and Health Law - Attached table 1 (Dangerous Substances)

Oxidizing Substance

SAFETY DATA SHEET

CP



Version
1.1

Revision Date:
2025/01/24

SDS Number:
600000000018

Date of last issue: 2024/11/06
Date of first issue: 2024/11/06

Poisonous and Deleterious Substances Control Law

Deleterious substance

Chemical name	Cabinet Order Number
Urea peroxide	12

Act on Confirmation, etc. of Release Amounts of Specific Chemical Substances in the Environment and Promotion of Improvements to the Management Thereof

Not applicable

Explosive Control Law

Not applicable

Vessel Safety Law

Oxidizing substances and organic peroxides (Article 2 and 3 of rules on shipping and storage of dangerous goods and its Attached Table 1)

Aviation Law

Oxidizing substances and organic peroxides (Article 194 of The Enforcement Rules of Aviation Law and its Attached Table 1)

Marine Pollution and Sea Disaster Prevention etc Law

Bulk transportation : Not classified as noxious liquid substance

Pack transportation : Not classified as marine pollutant

Waste Disposal and Public Cleansing Law

Industrial waste

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AIIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : None of the components of this product are on the Canadian DSL, but all are on the NDSL

hydrogen peroxide--urea

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

NZIoC (NZ) : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

CP



Version 1.1	Revision Date: 2025/01/24	SDS Number: 600000000018	Date of last issue: 2024/11/06 Date of first issue: 2024/11/06
----------------	------------------------------	-----------------------------	---

16. OTHER INFORMATION

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification. These safety instructions also apply to empty packaging which may still contain product residues. The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

SAFETY DATA SHEET

CP



Version 1.1	Revision Date: 2025/01/24	SDS Number: 600000000018	Date of last issue: 2024/11/06 Date of first issue: 2024/11/06
----------------	------------------------------	-----------------------------	---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

JP / EN