

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : DTBP

Other means of identification : None

Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators

Manufacturer or supplier's details

Company : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

Emergency telephone number : +49 / 89 / 74422 – 0 (24 h)

E-mail address : contact@united-in.com

2. HAZARDS IDENTIFICATION

GHS Classification

Flammable liquids : Category 2

Organic peroxides : Type E

Germ cell mutagenicity : Category 2

Short-term (acute) aquatic hazard : Category 3

Long-term (chronic) aquatic hazard : Category 3

GHS label elements

Hazard pictograms :



Signal word : Danger

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

Hazard statements	: H225 Highly flammable liquid and vapour. H242 Heating may cause a fire. H341 Suspected of causing genetic defects. H412 Harmful to aquatic life with long lasting effects.
Precautionary statements	: Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking. P220 Keep/Store away from clothing/ strong acids, bases, heavy metal salts and other reducing substances /combustible materials. P233 Keep container tightly closed. P234 Keep only in original container. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. P308 + P313 IF exposed or concerned: Get medical advice/ attention. P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish. Storage: P405 Store locked up. P410 Protect from sunlight. P411 + P235 Store at temperatures not exceeding < 40 °C/ < 104 °F. Keep cool. P420 Store away from other materials. Disposal: P501 Dispose of contents/ container to an approved waste disposal plant.
Other hazards which do not result in classification	
None known.	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

Substance name : Di-tert-butyl peroxide

CAS-No. : 110-05-4

Synonyms : None

Components

Hazardous ingredients	CAS-No.	Concentration (% w/w)
Di-tert-butyl peroxide	110-05-4	<= 100

4. FIRST AID MEASURES

General advice : Take off contaminated clothing and shoes immediately.
Call a physician immediately.
Never give anything by mouth to an unconscious person.
If unconscious, place in recovery position and seek medical advice.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.

First aid measures for different exposure routes

If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.
If breathed in, move person into fresh air.
If not breathing, give artificial respiration.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.
Keep respiratory tract clear.
If symptoms persist, call a physician.

SAFETY DATA SHEET

DTBP



Version 2.1	Revision Date: 2024/04/18	SDS Number: 600000000009	Date of last issue: 2020/10/23 Date of first issue: 2017/05/02
----------------	------------------------------	-----------------------------	---

Most important symptoms and effects, both acute and delayed : Suspected of causing genetic defects.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Risk of explosion if heated under confinement.
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.
Avoid confinement.
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Do not allow run-off from fire fighting to enter drains or water courses.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

SAFETY DATA SHEET

DTBP



Version 2.1	Revision Date: 2024/04/18	SDS Number: 600000000009	Date of last issue: 2020/10/23 Date of first issue: 2017/05/02
----------------	------------------------------	-----------------------------	---

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

7. HANDLING AND STORAGE

Handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).
Keep away from heat and sources of ignition.
Use only explosion-proof equipment.
Keep away from open flames, hot surfaces and sources of ignition.
Keep away from combustible material.
Do not spray on a naked flame or any incandescent material.

SAFETY DATA SHEET

DTBP



Version 2.1	Revision Date: 2024/04/18	SDS Number: 600000000009	Date of last issue: 2020/10/23 Date of first issue: 2017/05/02
----------------	------------------------------	-----------------------------	---

Advice on safe handling

- : Open drum carefully as content may be under pressure.
Protect from contamination.
- Do not breathe vapours/dust.
- Avoid exposure - obtain special instructions before use.
- Avoid contact with skin and eyes.
- Avoid formation of aerosol.
- Take precautionary measures against static discharges.
- Never return any product to the container from which it was originally removed.
- Provide sufficient air exchange and/or exhaust in work rooms.
- Avoid confinement.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Smoking, eating and drinking should be prohibited in the application area.
- Wash thoroughly after handling.
- For personal protection see section 8.

Storage

Conditions for safe storage

- : Store in original container.
- Keep containers tightly closed in a cool, well-ventilated place.
- Store in cool place.
- Contamination may result in dangerous pressure increases - closed containers may rupture.
- Observe label precautions.
- Store in accordance with the particular national regulations.
- Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
- Electrical installations / working materials must comply with the technological safety standards.
- Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Materials to avoid

- : Keep away from combustible materials.
- Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature

- : < 40 °C

Further information on storage stability

- : Stable under recommended storage conditions.

Version 2.1	Revision Date: 2024/04/18	SDS Number: 600000000009	Date of last issue: 2020/10/23 Date of first issue: 2017/05/02
----------------	------------------------------	-----------------------------	---

8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Contains no substances with occupational exposure limit values.

Biological occupational exposure limits

Contains no substances with biological exposure indices.

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.40 mm

Material : butyl-rubber
Break through time : 120 min
Glove thickness : 0.47 mm

Remarks

: The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection

: Ensure that eyewash stations and safety showers are close to the workstation location.
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Skin and body protection

: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Wear as appropriate:

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : aromatic

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : < -25 °C

Boiling point/boiling range : Decomposition: Decomposes below the boiling point.

Flash point : 0 °C
Method: ISO 3679, closed cup

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

Flammability (liquids) : Highly flammable liquid and vapour., Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper flammability limit : Upper explosion limit
100 % (V)

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

Lower explosion limit / Lower flammability limit	:	Lower explosion limit (45 °C) 0.74 %(V)
Vapour pressure	:	35 hPa (20 °C)
Relative vapour density	:	No data available
Relative density	:	not determined
Density	:	0.79 g/cm3 (20 °C)
Solubility(ies)	:	
Water solubility	:	0.171 g/l practically insoluble (20 °C) pH: 8.1
Partition coefficient: n-octanol/water	:	log Pow: 3.2 (22 °C)
Auto-ignition temperature	:	not determined
Self-Accelerating decomposition temperature (SADT)	:	80 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Viscosity	:	
Viscosity, dynamic	:	0.8 mPa.s (20 °C)
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive In use, may form flammable/explosive vapour-air mixture.
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide
Self-heating substances	:	The substance or mixture is not classified as self heating.

10. STABILITY AND REACTIVITY

Reactivity	:	Stable under recommended storage conditions. Heating may cause a fire or explosion.
Chemical stability	:	Stable under recommended storage conditions.

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

No decomposition if stored normally.

Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.
Incompatible materials	: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Hazardous decomposition products	: Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

11. TOXICOLOGICAL INFORMATION

Symptoms of Overexposure : None known.

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat, male and female): > 22 mg/l Exposure time: 4 h Test atmosphere: vapour Method: OECD Test Guideline 436 Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD50 (Rat, male and female): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Components:

Di-tert-butyl peroxide:

Acute oral toxicity	: LD50 (Rat, female): > 2,000 mg/kg Method: OECD Test Guideline 423 Assessment: The substance or mixture has no acute oral toxicity
Acute inhalation toxicity	: LC50 (Rat, male and female): > 22 mg/l

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

Exposure time: 4 h
Test atmosphere: vapour
Method: OECD Test Guideline 436
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rat, male and female): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Components:

Di-tert-butyl peroxide:

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Components:

Di-tert-butyl peroxide:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Not classified due to lack of data.

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

Product:

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Components:

Di-tert-butyl peroxide:

Test Type : Buehler Test
Species : Guinea pig
Method : OECD Test Guideline 406
Result : Does not cause skin sensitisation.

Chronic toxicity

Germ cell mutagenicity

Suspected of causing genetic defects.

Product:

Genotoxicity in vitro : Test Type: Ames test
Test system: *Salmonella typhimurium*
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Method: OECD Test Guideline 474
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests., The GHS classification specified by the authority

Components:

Di-tert-butyl peroxide:

Genotoxicity in vitro : Test Type: Ames test
Test system: *Salmonella typhimurium*
Metabolic activation: with and without metabolic activation
Method: OECD Test Guideline 471
Result: negative

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Method: OECD Test Guideline 474
Result: positive

Germ cell mutagenicity - Assessment : Positive result(s) from in vivo mammalian somatic cell mutagenicity tests., The GHS classification specified by the authority

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

ty

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

Components:

Di-tert-butyl peroxide:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

Reproductive toxicity

Not classified due to lack of data.

Product:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
General Toxicity F1: NOEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 422
Result: No effects on reproduction parameters, No effects on foetal development

Effects on foetal development : Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414

Species: Rat, male and female
Application Route: Oral
General Toxicity Maternal: NOEL: 1,000 mg/kg body weight
Symptoms: No effects on reproduction parameters, No effects on foetal development
Method: OECD Test Guideline 422

Components:

Di-tert-butyl peroxide:

Effects on fertility : Species: Rat, male and female
Application Route: Oral
General Toxicity F1: NOEL: 1,000 mg/kg body weight
Symptoms: No effects on reproduction parameters, No effects on foetal development
Method: OECD Test Guideline 422
Result: No effects on reproduction parameters

Effects on foetal development : Species: Rat, female
Application Route: Oral

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

General Toxicity Maternal: NOAEL: 1,000 mg/kg body weight
Method: OECD Test Guideline 414

Species: Rat, male and female
Application Route: Oral
General Toxicity Maternal: NOEL: 1,000 mg/kg body weight
Symptoms: No effects on reproduction parameters, No effects
on foetal development
Method: OECD Test Guideline 422

STOT - single exposure

Not classified due to lack of data.

Product:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

Components:

Di-tert-butyl peroxide:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

STOT - repeated exposure

Not classified due to lack of data.

Product:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

Components:

Di-tert-butyl peroxide:

Remarks : Not classified due to data which are conclusive although insufficient for classification.

Repeated dose toxicity

Product:

Species : Rat, male and female
NOAEL : 100 mg/kg
LOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 422

Species : Rat, male and female
NOAEC : 993 mg/m³
Application Route : Inhalation
Test atmosphere : vapour

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

Exposure time : 90 d
Method : OECD Test Guideline 413

Components:

Di-tert-butyl peroxide:

Species : Rat, male and female
NOAEL : 100 mg/kg
LOAEL : 300 mg/kg
Application Route : Oral
Exposure time : 28 d
Method : OECD Test Guideline 422

Species : Rat, male and female
NOAEC : 993 mg/m³
Application Route : Inhalation
Test atmosphere : vapour
Exposure time : 90 d
Method : OECD Test Guideline 413

Aspiration toxicity

Not classified due to lack of data.

Product:

Not classified due to data which are conclusive although insufficient for classification.

Components:

Di-tert-butyl peroxide:

Not classified due to data which are conclusive although insufficient for classification.

Further information

Product:

Remarks : Solvents may degrease the skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l
Exposure time: 96 h
Remarks: Expert judgement
No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 73.1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 36 mg/l
End point: Growth rate
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 7.2 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Bacteria): 1,000 mg/l
Exposure time: 0.5 h
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

Components:

Di-tert-butyl peroxide:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l
Exposure time: 96 h
Remarks: Expert judgement
No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 73.1 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 36 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 7.2 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 (Bacteria): 1,000 mg/l
Exposure time: 0.5 h
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301D

Components:

Di-tert-butyl peroxide:

Biodegradability : Result: Not readily biodegradable.
Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

Di-tert-butyl peroxide:

Partition coefficient: n-octanol/water : log Pow: 3.2 (22 °C)

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Harmful to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.
Clean container with water.
Dispose of contents/ container to an approved waste disposal plant.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3107
Proper shipping name : ORGANIC PEROXIDE TYPE E, LIQUID
(DI-tert-BUTYL PEROXIDE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
Environmentally hazardous : no

IATA-DGR

UN/ID No. : UN 3107
Proper shipping name : Organic peroxide type E, liquid
(Di-tert-Butyl peroxide)
Class : 5.2
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat
Packing instruction (cargo aircraft) : 570
Packing instruction (passenger aircraft) : 570

IMDG-Code

UN number : UN 3107
Proper shipping name : ORGANIC PEROXIDE TYPE E, LIQUID
(DI-tert-BUTYL PEROXIDE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-J, S-R
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

15. REGULATORY INFORMATION

National regulatory information

Gefahrgruppe nach TRGS 741: 1b (German regulatory requirements)
Regulations on Occupational Safety and Health Facilities
Standards for the Storage, Cleanup, Handling and Disposal of Industrial Waste

SAFETY DATA SHEET

DTBP



Version 2.1 Revision Date: 2024/04/18 SDS Number: 600000000009 Date of last issue: 2020/10/23
Date of first issue: 2017/05/02

Regulations on Labelling and Hazard Communication of Hazardous Chemicals
Rules on Road Traffic Safety
Establishment Standards and Safety Control Regulations for Manufacturing, Storing, Processing
Public Hazardous Substances and Flammable Pressurized Gases Places: Quantity subject to
control

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory
TSCA (US) : All substances listed as active on the TSCA inventory
AIIC (AU) : On the inventory, or in compliance with the inventory
DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory
ISHL (JP) : On the inventory, or in compliance with the inventory
KECI (KR) : On the inventory, or in compliance with the inventory
PICCS (PH) : On the inventory, or in compliance with the inventory
IECSC (CN) : On the inventory, or in compliance with the inventory
TECI (TH) : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>
Revision Date : 2024/04/18
Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.
The hazards on the label also apply to residues in the container.

SAFETY DATA SHEET

DTBP



Version 2.1	Revision Date: 2024/04/18	SDS Number: 600000000009	Date of last issue: 2020/10/23 Date of first issue: 2017/05/02
----------------	------------------------------	-----------------------------	---

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TW / EN