MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19
1.2 2025/05/14 60000000012 Date of first issue: 2022/03/16

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MYPC

Manufacturer or supplier's details

Company : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3

82049 Pullach

Emergency telephone number : +49 / 89 / 74422 - 0 (24 h)

E-mail address : contact@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators

2. HAZARDS IDENTIFICATION

GHS Classification

Organic peroxides : Type D

Acute toxicity (Oral) : Category 5

Skin sensitisation : Category 1

GHS label elements

Hazard pictograms :





Signal word : Danger

Hazard statements : H242 Heating may cause a fire.

H303 May be harmful if swallowed.

H317 May cause an allergic skin reaction.

Precautionary statements : Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P220 Keep/ Store away from clothing/ combustible materials.

P234 Keep only in original container.

P261 Avoid breathing dust.

P272 Contaminated work clothing should not be allowed out of

MYPC



Version **Revision Date:** SDS Number: Date of last issue: 2024/08/19 1.2 2025/05/14 60000000012 Date of first issue: 2022/03/16

the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P312 Call a POISON CENTER or doctor/physician if you feel

P333 + P313 If skin irritation or rash occurs: Get medical ad-

vice/ attention.

P363 Wash contaminated clothing before reuse.

Storage:

P410 Protect from sunlight.

P411 + P235 Store at temperatures not exceeding < 20 °C/ <

68 °F. Keep cool.

P420 Store away from other materials.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Substance

Chemical nature Organic Peroxide

Solid

Substance name Ditetradecyl peroxydicarbonate

CAS-No. 53220-22-7

Components

Chemical name	CAS-No.	Concentration (% w/w)
Ditetradecyl peroxydicarbonate	53220-22-7	<= 100

4. FIRST AID MEASURES

General advice Take off contaminated clothing and shoes immediately.

Call a physician immediately.

Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical

advice.

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

Symptoms of poisoning may appear several hours later.

If inhaled Administer oxygen if breathing is difficult or cyanosis is ob-

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19 1.2 2025/05/14 600000000012 Date of first issue: 2022/03/16

served.

If breathed in, move person into fresh air. If not breathing, give artificial respiration.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If symptoms persist, call a physician.

In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing

and shoes.

Wash contaminated clothing before re-use.

If on skin, rinse well with water. If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Call a physician immediately.

Rinse mouth thoroughly with water.

Keep respiratory tract clear.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

sensitising effects

May be harmful if swallowed.

May cause an allergic skin reaction.

Protection of first-aiders : First Aid responders should pay attention to self-protection

and use the recommended protective clothing

Notes to physician : Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray jet

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during fire-

fighting

Risk of explosion if heated under confinement.

Possible emission of gaseous decomposition products may

lead to a dangerous pressure build-up.

Avoid confinement.

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19 1.2 2025/05/14 600000000012 Date of first issue: 2022/03/16

Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.

The product burns violently.

Flash back possible over considerable distance.

Do not allow run-off from fire fighting to enter drains or water courses.

Vapours may form explosive mixtures with air.

The product will float on water and can be reignited on surface water.

Cool closed containers exposed to fire with water spray.

Specific extinguishing methods

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Use a water spray to cool fully closed containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

Do not use a solid water stream as it may scatter and spread

fire.

Remove undamaged containers from fire area if it is safe to do

SO.

Use water spray to cool unopened containers.

Special protective equipment : for firefighters

Wear self-contained breathing apparatus for firefighting if nec-

essary.

Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Follow safe handling advice and personal protective equip-

ment recommendations.

Use personal protective equipment.

Avoid dust formation. Avoid breathing dust.

Remove all sources of ignition.

Never return spills in original containers for re-use.

Treat recovered material as described in the section "Disposal

considerations".

Environmental precautions : Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19 1.2 2025/05/14 600000000012 Date of first issue: 2022/03/16

Methods and materials for containment and cleaning up

Contact with incompatible substances can cause decomposition at or below SADT.

Clear spills immediately.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

To clean the floor and all objects contaminated by this materi-

al, use plenty of water.

Soak up with inert absorbent material. Isolate waste and do not reuse. Non-sparking tools should be used.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

7. HANDLING AND STORAGE

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Advice on protection against fire and explosion

Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapours). Keep away from heat and sources of ignition.

Use only explosion-proof equipment.

Keep away from open flames, hot surfaces and sources of

ignition.

Keep away from combustible material.

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Open drum carefully as content may be under pressure.

Avoid formation of respirable particles.

Protect from contamination.

Do not swallow.

Do not breathe vapours/dust.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Take precautionary measures against static discharges. Never return any product to the container from which it was

originally removed.

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid confinement.

Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Wash thoroughly after handling.

For personal protection see section 8.

Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19
1.2 2025/05/14 60000000012 Date of first issue: 2022/03/16

used.

Conditions for safe storage : Store in original container.

Keep containers tightly closed in a cool, well-ventilated place.

Store in cool place.

Keep in a well-ventilated place.

Contamination may result in dangerous pressure increases -

closed containers may rupture. Observe label precautions.

Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with

the technological safety standards.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Materials to avoid : Keep away from combustible materials.

Keep away from strong acids, bases, heavy metal salts and

other reducing substances.

Recommended storage tem: :

perature

< 20 °C

Further information on stor-

age stability

: Stable under recommended storage conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Filter type : Filter type P

Respirator with combination filter for vapour/particulate (EN

141)

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0.40 mm

Material : butyl-rubber Break through time : 480 min Glove thickness : 0.47 mm

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19 1.2 2025/05/14 600000000012 Date of first issue: 2022/03/16

Remarks : The data about break through time/strength of material are

standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of

workday.

Eye protection : Ensure that eyewash stations and safety showers are close

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Always wear eye protection when the potential for inadvertent

eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face pro-

tection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, dis-

posable suits) to avoid exposed skin surfaces.

Wear as appropriate:

Flame retardant antistatic protective clothing.

Protective measures : The type of protective equipment must be selected according

to the concentration and amount of the dangerous substance

at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.

Keep away from food and drink. When using do not eat or drink. When using do not smoke.

Wash hands before breaks and immediately after handling

the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : flakes

Colour : white

Odour : characteristic

MYPC



Version **Revision Date:** SDS Number: Date of last issue: 2024/08/19 1.2 2025/05/14 60000000012 Date of first issue: 2022/03/16

Odour Threshold No data available

pΗ No data available substance/mixture is non-soluble (in water)

Melting point/freezing point

Decomposition: Decomposes below the melting point.

Initial boiling point and boiling

range

Decomposition: Decomposes below the boiling point.

Flash point Not applicable

Evaporation rate No data available

Flammability (solid, gas) Not applicable

Self-ignition The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper

flammability limit

Upper explosion limit No data available

Lower explosion limit / Lower

flammability limit

Lower explosion limit No data available

Vapour pressure < 0.1 hPa (25 °C)

Relative vapour density not determined

Relative density not determined

Density not determined

Bulk density ca. 440 kg/m3 (25 °C)

Solubility(ies)

Water solubility < 0.0001 g/l insoluble

Partition coefficient: n-

octanol/water

 $\log Pow: > 6.5 (25 °C)$

Auto-ignition temperature not determined Decomposition

35 °C

Self-Accelerating decomposi-

tion temperature (SADT)

Method: UN-Test H.4

SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a

self-accelerating decomposition reaction.

Viscosity

Viscosity, dynamic Not applicable

Viscosity, kinematic Not applicable

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19
1.2 2025/05/14 60000000012 Date of first issue: 2022/03/16

Explosive properties : Not explosive Avoid dust formation.

Oxidizing properties : The substance or mixture is not classified as oxidizing.

Organic peroxide

Self-heating substances : The substance or mixture is not classified as self heating.

Particle characteristics

Particle size : not determined

Particle Size Distribution : No data available

10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Heating may cause a fire or explosion.

Chemical stability : Stable under recommended storage conditions.

No decomposition if stored normally.

Possibility of hazardous reac-

tions

Dust may form explosive mixture in air.

Conditions to avoid : Protect from contamination.

Contact with incompatible substances can cause decomposi-

tion at or below SADT. Heat, flames and sparks. Avoid confinement.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and

heavy metal salts, reducing agents

Hazardous decomposition

products

Irritant, caustic, flammable, noxious/toxic gases and vapours

can develop in the case of fire and decomposition

11. TOXICOLOGICAL INFORMATION

Acute toxicity

May be harmful if swallowed.

Product:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

Method: OECD Test Guideline 401

Components:

Ditetradecyl peroxydicarbonate:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19
1.2 2025/05/14 60000000012 Date of first issue: 2022/03/16

Method: OECD Test Guideline 401

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

Ditetradecyl peroxydicarbonate:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Remarks : Product dust may be irritating to eyes, skin and respiratory

system.

Components:

Ditetradecyl peroxydicarbonate:

Species : Rabbit

Result : No eye irritation

Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19
1.2 2025/05/14 60000000012 Date of first issue: 2022/03/16

Remarks : Causes sensitisation.

Components:

Ditetradecyl peroxydicarbonate:

Species : Mouse

Method : OECD Test Guideline 429

Result : May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Result: negative

Components:

Ditetradecyl peroxydicarbonate:

Genotoxicity in vitro : Method: OECD Test Guideline 471

Result: negative

Genotoxicity in vivo : Result: negative

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : This information is not available.

Components:

Ditetradecyl peroxydicarbonate:

Remarks : This information is not available.

Reproductive toxicity

Not classified due to lack of data.

Components:

Ditetradecyl peroxydicarbonate:

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19 1.2 2025/05/14 600000000012 Date of first issue: 2022/03/16

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Components:

Ditetradecyl peroxydicarbonate:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

Repeated dose toxicity

Product:

Species : Rat

NOAEL : > 1,000 mg/kg Application Route : Ingestion

Method : OECD Test Guideline 422

Components:

Ditetradecyl peroxydicarbonate:

Species : Rat

NOAEL : > 1,000 mg/kg Application Route : Ingestion

Method : OECD Test Guideline 422

Aspiration toxicity

Based on available data, the classification criteria are not met.

Product:

No aspiration toxicity classification

Components:

Ditetradecyl peroxydicarbonate:

No aspiration toxicity classification

Further information

Product:

Remarks : No data available

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19
1.2 2025/05/14 60000000012 Date of first issue: 2022/03/16

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 100 mg/l

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 100

mg/I

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 0.5 h

Method: OECD Test Guideline 209

Components:

Ditetradecyl peroxydicarbonate:

Toxicity to fish : LC50 (Poecilia reticulata (guppy)): > 1,000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

NOEC (Daphnia magna (Water flea)): 100 mg/l

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

EC50 (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19 1.2 2025/05/14 600000000012 Date of first issue: 2022/03/16

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 100

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

Exposure time: 21 d

Method: OECD Test Guideline 211

Remarks: No toxicity at the limit of solubility

Toxicity to microorganisms : EC50: > 1,000 mg/l

Exposure time: 0.5 h

Method: OECD Test Guideline 209

Persistence and degradability

Product:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301D

Components:

Ditetradecyl peroxydicarbonate:

Biodegradability : Result: Readily biodegradable.

Method: OECD Test Guideline 301D

Bioaccumulative potential

Components:

Ditetradecyl peroxydicarbonate:

Partition coefficient: n-

octanol/water

log Pow: > 6.5 (25 °C)

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological infor-

mation

An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Harmful to aquatic life.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19
1.2 2025/05/14 600000000012 Date of first issue: 2022/03/16

The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with chemi-

cal or used container.

Contaminated packaging : Dispose of in accordance with local regulations.

Clean container with water.

Dispose of contents/ container to an approved waste disposal

plant.

Empty remaining contents.

Dispose of as unused product.

Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3116

Proper shipping name : ORGANIC PEROXIDE TYPE D, SOLID, TEMPERATURE

CONTROLLED

(DIMYRISTYL PEROXYDICARBONATE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2 Environmentally hazardous : no

IATA-DGR

Not permitted for transport

IMDG-Code

UN number : UN 3116

Proper shipping name : ORGANIC PEROXIDE TYPE D, SOLID, TEMPERATURE

CONTROLLED

(DIMYRISTYL PEROXYDICARBONATE)

Class : 5.2

Packing group : Not assigned by regulation

Labels : 5.2
EmS Code : F-F, S-R
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Additional advice

Temperature controlled transport.:

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19 1.2 2025/05/14 600000000012 Date of first issue: 2022/03/16

Control temperature : 20 °C Emergency temperature : 25 °C

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Gefahrgruppe nach TRGS 741: III (German regulatory requirements)

Hazardous Substance Act : Conditions of restriction for the fol-

lowing entries should be considered:

Not applicable

Not applicable

Emergency Decree on Controlling the Use of Volatile

Substances

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AIIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2025/05/14

Further information

Other information : This safety datasheet only contains information relating to

safety and does not replace any product information or prod-

uct specification.

These safety instructions also apply to empty packaging which

may still contain product residues.

The hazards on the label also apply to residues in the con-

tainer.

Sources of key data used to

compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

MYPC



Version Revision Date: SDS Number: Date of last issue: 2024/08/19 1.2 2025/05/14 600000000012 Date of first issue: 2022/03/16

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TH / EN