

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TBHP-70-AQ

REACH Registration Number : 01-2119446670-40-0001

Substance name : tert-butyl hydroperoxide

Index-No. : 617-023-00-2

EC-No. : 200-915-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : polymerisation initiators, Oxidizing agents

1.3 Details of the supplier of the safety data sheet

Company : United Initiators (Shanghai) Co., Ltd
Room 501, Bldg. 1, No. 1 Shangda Road
Shanghai, China, 200444

Telephone : +86 21 61172758

E-mail address of person
responsible for the SDS : cs-initiators.cn@united-in.com

1.4 Emergency telephone number

+86 21 61172762

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3	H226: Flammable liquid and vapour.
Organic peroxides, Type F	H242: Heating may cause a fire.
Acute toxicity, Category 4	H302: Harmful if swallowed.
Acute toxicity, Category 2	H330: Fatal if inhaled.
Acute toxicity, Category 3	H311: Toxic in contact with skin.
Skin corrosion, Sub-category 1C	H314: Causes severe skin burns and eye damage.

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

Serious eye damage, Category 1	H318: Causes serious eye damage.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Germ cell mutagenicity, Category 2	H341: Suspected of causing genetic defects.
Carcinogenicity, Category 2	H351: Suspected of causing cancer.
Specific target organ toxicity - single exposure, Category 3, Respiratory system	H335: May cause respiratory irritation.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

H226	Flammable liquid and vapour.
H242	Heating may cause a fire.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P234	Keep only in original packaging.
P260	Do not breathe mist or vapours.
P273	Avoid release to the environment.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immedi-

SAFETY DATA SHEET

TBHP-70-AQ



Version 1.1 Revision Date: 29.07.2025 SDS Number: 600000000045 Date of last issue: 15.05.2023
Date of first issue: 15.05.2023

Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
P391 Collect spillage.
Storage:
P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : tert-butyl hydroperoxide
Index-No. : 617-023-00-2
EC-No. : 200-915-7
Chemical nature : Organic Peroxide
 : Aqueous solution

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
tert-butyl hydroperoxide	75-91-2 200-915-7	> 68 - <= 72

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Take off contaminated clothing and shoes immediately.
 : Call a physician immediately.
 : Never give anything by mouth to an unconscious person.
 : If unconscious, place in recovery position and seek medical advice.
 : Move out of dangerous area.
 : Show this safety data sheet to the doctor in attendance.
 : Do not leave the victim unattended.
 : Symptoms of poisoning may appear several hours later.
 : No artificial respiration, mouth-to-mouth or mouth to nose. Use

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

- suitable instruments/apparatus.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.
Call a physician immediately.
If breathed in, move person into fresh air.
If not breathing, give artificial respiration.
Contact a poison control center.
Respiratory tract burning possible if aerosols are inhaled.
Call a physician or poison control centre immediately.
If unconscious, place in recovery position and seek medical advice.
Keep respiratory tract clear.
- In case of skin contact : If symptoms persist, call a physician.
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
Call a physician immediately.
Contact a poison control center.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.
Rinse mouth thoroughly with water.
Keep respiratory tract clear.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : sensitising effects
- Risks : Harmful if swallowed.
Toxic in contact with skin.
May cause an allergic skin reaction.
Causes serious eye damage.

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

Fatal if inhaled.
May cause respiratory irritation.
Suspected of causing genetic defects.
Suspected of causing cancer.
Causes severe burns.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Risk of explosion if heated under confinement.
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.
Avoid confinement.
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Do not allow run-off from fire fighting to enter drains or water courses.
Vapours may form explosive mixtures with air.
Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Open drum carefully as content may be under pressure. Protect from contamination. Do not swallow. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid formation of aerosol. Take precautionary measures against static discharges. Never return any product to the container from which it was originally removed. Provide sufficient air exchange and/or exhaust in work rooms. Avoid confinement. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Smoking, eating and drinking should be prohibited in the application area. Wash thoroughly after handling. For personal protection see section 8. Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.
- Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in cool place. Contamination may result in dangerous pressure increases - closed containers may rupture. Prevent unauthorized access. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright

SAFETY DATA SHEET

TBHP-70-AQ



Version 1.1 Revision Date: 29.07.2025 SDS Number: 600000000045 Date of last issue: 15.05.2023
Date of first issue: 15.05.2023

to prevent leakage.

Advice on common storage : Keep away from combustible materials.
Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : 2 - 35 °C

Further information on storage stability : Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-butyl hydroperoxide	Workers	Inhalation	Long-term systemic effects	2,2 mg/m ³
	Remarks:Derived minimal effect level (DMEL)			
	Workers	Inhalation	Acute systemic effects	85,2 mg/m ³
	Remarks:Derived minimal effect level (DMEL)			
	Workers	Inhalation	Long-term local effects	0,58 mg/m ³
	Remarks:Derived minimal effect level (DMEL)			
	Workers	Inhalation	Acute local effects	28,4 mg/m ³
	Remarks:Derived minimal effect level (DMEL)			
	Workers	Skin contact	Long-term systemic effects	0,21 mg/m ³
	Remarks:Derived minimal effect level (DMEL)			

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-butyl hydroperoxide	Fresh water	0,0015 mg/l
	Marine water	0,00015 mg/l
	Fresh water sediment	0,00621 mg/kg dry weight (d.w.)
	Marine sediment	0,000621 mg/kg dry weight (d.w.)
	Agricultural soil	0,166 mg/kg dry weight (d.w.)
	Sewage treatment plant	0,17 mg/l

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

	Secondary poisoning	1,4 mg/kg food
--	---------------------	----------------

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close to the workstation location.
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0,40 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Wear as appropriate:
Flame retardant antistatic protective clothing.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	colourless, clear
Odour	:	characteristic
Odour Threshold	:	not determined
pH	:	ca. 4,3
Melting point/ range	:	< 0 °C
Boiling point/boiling range	:	96 °C (1.013 hPa) Decomposition: yes
Flash point	:	38 °C Method: closed cup
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	ca. 99,99 %(V)
Lower explosion limit / Lower flammability limit	:	ca. 5,7 %(V)
Vapour pressure	:	50,78 hPa (25 °C)
Relative vapour density	:	ca. 3,1 (15 - 20 °C) (Air = 1.0)
Relative density	:	not determined
Density	:	ca. 0,93 g/cm ³ (20 °C)
Solubility(ies)	:	
Water solubility	:	> 691 g/l soluble (20 °C)
Partition coefficient: n-octanol/water	:	log Pow: 0,85 (20 °C)
Auto-ignition temperature	:	not determined

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

Viscosity
Viscosity, dynamic : not determined

Viscosity, kinematic : 4,42 mm²/s (20 °C)

Explosive properties : Not explosive
In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.
Organic peroxide

9.2 Other information

Self-Accelerating decomposition temperature (SADT) : 80 °C
Method: UN-Test H.4
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Flammability (liquids) : Flammable liquid and vapour., Organic peroxide

Self-heating substances : The substance or mixture is not classified as self heating.

Surface tension : 69,9 mN/m, 20 °C

Refractive index : ca. 1,387 at 20 °C

Self-ignition : The substance or mixture is not classified as pyrophoric.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
Heating may cause a fire or explosion.

10.2 Chemical stability

Stable under recommended storage conditions.
No decomposition if stored normally.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.
Contact with incompatible substances can cause decomposition at or below SADT.
Heat, flames and sparks.
Avoid confinement.

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.
Toxic in contact with skin.
Fatal if inhaled.

Product:

Acute oral toxicity : LD50 (Rat): 805 mg/kg
Method: Acute toxicity estimate
Assessment: The component/mixture is moderately toxic after single ingestion.

Acute inhalation toxicity : LC50 (Rat): 1,19 mg/l
Exposure time: 4 h
Test atmosphere: vapour
Method: Acute toxicity estimate
Assessment: The component/mixture is highly toxic after short term inhalation.
Remarks: May cause respiratory irritation.

Acute dermal toxicity : LD50 (Rabbit): 633 mg/kg
Method: Acute toxicity estimate
Assessment: The component/mixture is toxic after single contact with skin.
Remarks: Dermal absorption possible

Skin corrosion/irritation

Causes severe burns.

Product:

Species : Rabbit
Method : Draize Test
Result : Corrosive, category 1C - where responses occur after exposures between 1 hour and 4 hours and observations up to 14 days.

Remarks : Extremely corrosive and destructive to tissue.

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	Irreversible effects on the eye
Remarks	:	May cause irreversible eye damage.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Exposure routes	:	Skin contact
Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	Causes sensitisation.
Exposure routes	:	Inhalation
Remarks	:	No data available
Remarks	:	Causes sensitisation.

Germ cell mutagenicity

Suspected of causing genetic defects.

Product:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: Directive 67/548/EEC, Annex, B.13/14 Result: positive
		Test Type: Chromosome aberration test in vitro Method: OECD Test Guideline 473 Result: positive
		Test Type: In vitro mammalian cell gene mutation test Method: Directive 67/548/EEC, Annex, B.17 Result: positive
Genotoxicity in vivo	:	Test Type: Chromosomal aberration Species: Mouse (male and female) Application Route: Intravenous Method: Directive 67/548/EEC, Annex V, B.12. Result: negative
		Test Type: Rodent dominant lethal test (germ cell) (in vivo)

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

Species: Mouse (males)
Application Route: Intraperitoneal
Method: Directive 67/548/EEC, Annex, B.22
Result: positive

Test Type: In vivo mammalian alkaline comet assay
Species: Rat (male)
Application Route: inhalation (vapour)
Method: OECD Test Guideline 489
Result: negative

Germ cell mutagenicity- Assessment : Suspected of causing genetic defects., The GHS classification specified by the authority

Carcinogenicity

Suspected of causing cancer.

Product:

Species : Rat, male and female
Application Route : inhalation (vapour)
NOEC : 15 mg/l
Method : OECD Test Guideline 451
Symptoms : carcinogenic effects, Systemic toxicity
GLP : yes

Carcinogenicity - Assessment : Limited evidence of carcinogenicity in animal studies

Reproductive toxicity

Not classified due to lack of data.

Product:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat, male and female
Application Route: Oral
General Toxicity F1: NOAEL: 21 mg/kg body weight
Method: OECD Test Guideline 422
GLP: yes

Effects on foetal development : Test Type: Prenatal development toxicity study (teratogenicity)
Species: Rat, female
Application Route: Oral
General Toxicity Maternal: NOAEL: 35 mg/kg body weight
Developmental Toxicity: NOAEL: >= 35 mg/kg body weight
Method: OECD Test Guideline 414
GLP: yes

STOT - single exposure

May cause respiratory irritation.

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

Product:

Exposure routes : Inhalation
Assessment : May cause respiratory irritation.

STOT - repeated exposure

Based on available data, the classification criteria are not met.

Product:

Assessment : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Remarks : Not classified due to data which are conclusive although insufficient for classification.

Repeated dose toxicity

Product:

Species : Rat, male and female
NOAEL : 21 mg/kg bw/day
Application Route : Oral
Method : OECD Test Guideline 422
GLP : yes

Species : Rat, male and female
NOAEC : 22,2 mg/m³
Application Route : inhalation (vapour)
Method : OECD Test Guideline 412
GLP : yes

Aspiration toxicity

Not classified due to lack of data.

Product:

Not classified due to data which are conclusive although insufficient for classification.

Further information

Product:

Remarks : This information is not available.
Remarks : Solvents may degrease the skin.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 42,3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 20 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Pseudokirchneriella subcapitata (green algae)): 2,1 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 24,3 mg/l
Test Type: Respiration inhibition of activated sludge

Toxicity to soil dwelling organisms : LC50: 166 mg/kg
Exposure time: 14 d
End point: Mortality/concentration

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life., Based on test data

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects., Based on test data

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 0 %
Exposure time: 28 d

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

12.6 Other adverse effects

Product:

- Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.
- Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.
-

SECTION 13: Disposal considerations

13.1 Waste treatment methods

- Product : Dispose of wastes in an approved waste disposal facility.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
- Contaminated packaging : Dispose of in accordance with local regulations.
Clean container with water.
Dispose of contents/ container to an approved waste disposal plant.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.
-

SECTION 14: Transport information

14.1 UN number

- ADN : UN 3109
ADR : UN 3109
RID : UN 3109
IMDG : UN 3109
IATA : UN 3109

14.2 UN proper shipping name

- ADN : ORGANIC PEROXIDE TYPE F, LIQUID
(tert-BUTYL HYDROPEROXIDE)
ADR : ORGANIC PEROXIDE TYPE F, LIQUID
(tert-BUTYL HYDROPEROXIDE)

SAFETY DATA SHEET

TBHP-70-AQ



Version 1.1 Revision Date: 29.07.2025 SDS Number: 600000000045 Date of last issue: 15.05.2023
Date of first issue: 15.05.2023

RID : ORGANIC PEROXIDE TYPE F, LIQUID
(tert-BUTYL HYDROPEROXIDE)

IMDG : ORGANIC PEROXIDE TYPE F, LIQUID
(tert-BUTYL HYDROPEROXIDE)

IATA : Organic peroxide type F, liquid
(tert-Butyl hydroperoxide)

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADN	: 5.2	8
ADR	: 5.2	8
RID	: 5.2	8
IMDG	: 5.2	8
IATA	: 5.2	HEAT, 8

14.4 Packing group

ADN
Packing group : Not assigned by regulation
Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2 (8)

ADR
Packing group : Not assigned by regulation
Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2 (8)
Tunnel restriction code : (D)

RID
Packing group : Not assigned by regulation
Classification Code : P1
Hazard Identification Number : 539
Labels : 5.2 (8)

IMDG
Packing group : Not assigned by regulation
Labels : 5.2 (8)
EmS Code : F-J, S-R

IATA (Cargo)
Packing instruction (cargo aircraft) : 570
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat, Corrosive

IATA (Passenger)
Packing instruction (passenger aircraft) : 570
Packing group : Not assigned by regulation

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

Labels : Organic Peroxides, Keep Away From Heat, Corrosive

14.5 Environmental hazards

ADN

Environmentally hazardous : yes

ADR

Environmentally hazardous : yes

RID

Environmentally hazardous : yes

IMDG

Marine pollutant : yes

IATA (Passenger)

Environmentally hazardous : yes

IATA (Cargo)

Environmentally hazardous : yes

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations:

Gefahrgruppe nach TRGS 741: II (German regulatory requirements)

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory

TSCA (US) : All substances listed as active on the TSCA inventory

AIIC (AU) : On the inventory, or in compliance with the inventory

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.
For further information see eSDS.

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or prod-

SAFETY DATA SHEET

TBHP-70-AQ



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	29.07.2025	600000000045	Date of first issue: 15.05.2023

uct specification.

These safety instructions also apply to empty packaging which may still contain product residues.

The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZA / EN