

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TBPEH

REACH Registration Number : 01-2119498310-40-0000

Substance name : tert-Butyl 2-ethylperoxyhexanoate

Index-No. : 617-024-00-8

EC-No. : 221-110-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-
stance/Mixture : polymerisation initiators

1.3 Details of the supplier of the safety data sheet

Company : United Initiators GmbH
Dr.-Gustav-Adolph-Str. 3
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

E-mail address of person
responsible for the SDS : contact@united-in.com

1.4 Emergency telephone number

+27 21 300 2732

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Organic peroxides, Type C	H242: Heating may cause a fire.
Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Reproductive toxicity, Category 1B	H360F: May damage fertility.
Short-term (acute) aquatic hazard, Category 1	H400: Very toxic to aquatic life.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :
H242 Heating may cause a fire.
H317 May cause an allergic skin reaction.
H360F May damage fertility.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements :

Prevention:

P201 Obtain special instructions before use.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P234 Keep only in original packaging.
P273 Avoid release to the environment.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection/ hearing protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
P391 Collect spillage.

Storage:

P411 Store at temperatures not exceeding 20 °C.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name : tert-Butyl 2-ethylperoxyhexanoate
Index-No. : 617-024-00-8
EC-No. : 221-110-7
Chemical nature : Organic Peroxide liquid

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

Components

Chemical name	CAS-No. EC-No.	Concentration (% w/w)
tert-Butyl 2-ethylperoxyhexanoate	3006-82-4 221-110-7	<= 100

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Take off contaminated clothing and shoes immediately.
Call a physician immediately.
Never give anything by mouth to an unconscious person.
If unconscious, place in recovery position and seek medical advice.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.
If breathed in, move person into fresh air.
If not breathing, give artificial respiration.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If symptoms persist, call a physician.
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.
Keep respiratory tract clear.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

Symptoms : sensitising effects

Risks : May cause an allergic skin reaction.
May damage fertility.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-fighting : Risk of explosion if heated under confinement.
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.
Avoid confinement.
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Do not allow run-off from fire fighting to enter drains or water courses.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary. Use personal protective equipment.

Specific extinguishing methods : Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Further information : Use extinguishing measures that are appropriate to local cir-

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

cumstances and the surrounding environment.
Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Use personal protective equipment.
Remove all sources of ignition.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on safe handling : Open drum carefully as content may be under pressure.
Protect from contamination.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from heat and sources of ignition. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Keep away from combustible material. Do not spray on a naked flame or any incandescent material.
- Hygiene measures : Avoid contact with skin, eyes and clothing. Keep away from food and drink. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep containers tightly closed in a cool, well-ventilated place. Store in cool place. Keep in a well-ventilated place. Contamination may result in dangerous pressure increases - closed containers may rupture. Observe label precautions. Store in accordance with the particular national regulations. Avoid impurities (e.g. rust, dust, ash), risk of decomposition. Electrical installations / working materials must comply with the technological safety standards. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Advice on common storage : Keep away from combustible materials.
Keep away from strong acids, bases, heavy metal salts and other reducing substances.

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

Recommended storage temperature : < 10 °C

Further information on storage stability : Stable under recommended storage conditions.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.
Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
tert-Butyl 2-ethylperoxyhexanoate	Workers	Inhalation	Long-term systemic effects	9,8 mg/m ³
	Workers	Skin contact	Long-term systemic effects	5,6 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	1,74 mg/m ³
	Consumers	Oral	Long-term systemic effects	1 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
tert-Butyl 2-ethylperoxyhexanoate	Fresh water	0,002 mg/l
	Marine water	0 mg/l
	Sewage treatment plant	0,64 mg/l
	Fresh water sediment	0,622 mg/kg dry weight (d.w.)
	Marine sediment	0,062 mg/kg dry weight (d.w.)

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close to the workstation location.
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
Always wear eye protection when the potential for inadvertent

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0,40 mm

Material : butyl-rubber
Break through time : 480 min
Glove thickness : 0,47 mm

Remarks

: The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection

: Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Wear as appropriate:
Flame retardant antistatic protective clothing.

Respiratory protection

: In the case of dust or aerosol formation use respirator with an approved filter.

Filter type

: ABEK-filter

Protective measures

: The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

SAFETY DATA SHEET

TBPEH



Version 1.1	Revision Date: 18.12.2024	SDS Number: 600000000001	Date of last issue: 15.05.2023 Date of first issue: 15.05.2023
----------------	------------------------------	-----------------------------	---

Colour	: colourless
Odour	: ester-like
Odour Threshold	: No data available
pH	: not determined substance/mixture is non-soluble (in water)
Melting point/freezing point	: < -25 °C (1.013 hPa)
Initial boiling point and boiling range	: Decomposition: Decomposes below the boiling point.
Flash point	: 78 °C Method: ISO 3679
Evaporation rate	: No data available
Upper explosion limit / Upper flammability limit	: not determined
Lower explosion limit / Lower flammability limit	: not determined
Vapour pressure	: 0,02 hPa (20 °C)
Relative vapour density	: No data available
Relative density	: not determined
Density	: 0,9 g/cm ³ (20 °C)
Solubility(ies) Water solubility	: ca. 0,05 g/l insoluble (20 °C)
Auto-ignition temperature	: not determined Decomposition
Viscosity Viscosity, dynamic	: 3,7 mPa.s (20 °C)
Viscosity, kinematic	: not determined
Explosive properties	: Risk of explosion by shock, friction, fire or other sources of ignition. In use, may form flammable/explosive vapour-air mixture.
Oxidizing properties	: The substance or mixture is not classified as oxidizing. Organic peroxide

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

9.2 Other information

Self-Accelerating decomposition temperature (SADT)	: 35 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Flammability (liquids)	: Organic peroxide
Self-heating substances	: The substance or mixture is not classified as self heating.
Refractive index	: 1,428 at 20 °C
Self-ignition	: The substance or mixture is not classified as pyrophoric.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
Heating may cause a fire or explosion.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Protect from contamination.
Contact with incompatible substances can cause decomposition at or below SADT.
Heat, flames and sparks.
Avoid confinement.

10.5 Incompatible materials

Materials to avoid : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

10.6 Hazardous decomposition products

Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD ₀ (Rat): ≥ 10.000 mg/kg Method: OECD Test Guideline 401
Acute inhalation toxicity	: LC ₅₀ (Rat): $> 42,2$ mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD ₅₀ (Rabbit): 16.818 mg/kg Method: OECD Test Guideline 402

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Acute oral toxicity	: LD ₅₀ (Rat): ≥ 10.000 mg/kg Method: OECD Test Guideline 401 Assessment: The substance or mixture has no acute oral toxicity Remarks: No mortality observed at this dose.
Acute inhalation toxicity	: LC ₅₀ (Rat): $> 42,2$ mg/l Exposure time: 4 h Test atmosphere: dust/mist Assessment: The substance or mixture has no acute inhalation toxicity
Acute dermal toxicity	: LD ₅₀ (Rabbit): 16.820 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Species	: Rabbit
Method	: OECD Test Guideline 404
Result	: No skin irritation
Remarks	: May cause skin irritation in susceptible persons.

Components:

tert-Butyl 2-ethylperoxyhexanoate:

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

Species	:	Rabbit
Method	:	OECD Test Guideline 404
Result	:	No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Remarks	:	Vapours may cause irritation to the eyes, respiratory system and the skin.
---------	---	--

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Species	:	Rabbit
Method	:	OECD Test Guideline 405
Result	:	No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Remarks	:	Causes sensitisation.
---------	---	-----------------------

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471
-----------------------	---	---

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

Result: positive

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive

Genotoxicity in vivo : Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: positive

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: positive

Genotoxicity in vivo : Species: Mouse
Application Route: Ingestion
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : This information is not available.

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Remarks : This information is not available.

Reproductive toxicity

May damage fertility.

Product:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 300 mg/kg body weight
Method: OECD Test Guideline 421

Test Type: One-generation reproduction toxicity study
Species: Rat

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

Application Route: Oral
General Toxicity - Parent: NOAEL: 300 mg/kg body weight
General Toxicity F1: NOAEL: 300 mg/kg body weight
Fertility: NOAEL Mating/Fertility: 100 mg/kg body weight
Early Embryonic Development: NOAEL F2: 300 mg/kg body weight
Method: OECD Test Guideline 443
GLP: yes

Effects on foetal development : Species: Rat
Application Route: Oral
Embryo-foetal toxicity: NOAEL Mating/Fertility: 1.000 mg/kg body weight
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility, based on animal experiments.

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOEL: 300 mg/kg body weight
Method: OECD Test Guideline 421

Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 300 mg/kg body weight
General Toxicity F1: NOAEL: 300 mg/kg body weight
Fertility: NOAEL Mating/Fertility: 100 mg/kg body weight
Early Embryonic Development: NOAEL F2: 300 mg/kg body weight
Method: OECD Test Guideline 443
GLP: yes

Effects on foetal development : Species: Rabbit
Application Route: Oral
General Toxicity Maternal: NOAEL: 30 mg/kg body weight
Developmental Toxicity: NOAEL: 100 mg/kg body weight
Method: OECD Test Guideline 414

Species: Rat
Application Route: Oral
General Toxicity Maternal: NOEL: 400 mg/kg body weight
Developmental Toxicity: NOEL: 400 mg/kg body weight
Method: OECD Test Guideline 414

Reproductive toxicity - Assessment : Clear evidence of adverse effects on sexual function and fertility

TBPEH

Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	6000000000001	Date of first issue: 15.05.2023

assessment ity, based on animal experiments.

STOT - single exposure

Not classified due to lack of data.

Product:

Remarks : No data available

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Remarks : No data available

STOT - repeated exposure

Not classified due to lack of data.

Product:

Remarks : No data available

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Remarks : No data available

Repeated dose toxicity

Product:

Species	: Rat, male
NOAEL	: 316 mg/kg
Exposure time	: 28 d
Method	: OECD Test Guideline 407

Species	:	Rat, female
NOAEL	:	100 mg/kg
Exposure time	:	28 d
Method	:	OECD Test Guideline 407

Species	:	Rat
NOAEL	:	450 mg/kg
Method	:	OECD Test Guideline 408

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Species	: Rat, male
NOAEL	: 316 mg/kg
Exposure time	: 28 d
Method	: OECD Test Guideline 407

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

Species : Rat, female
NOAEL : 100 mg/kg
Exposure time : 28 d
Method : OECD Test Guideline 407

Species : Rat
NOAEL : 450 mg/kg
Method : OECD Test Guideline 408

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8,66 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

NOEC (Poecilia reticulata (guppy)): 2,10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 0,44 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0,018 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,45 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

Method: OECD Test Guideline 211

LOEC: 0,87 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Toxicity to microorganisms : EC50 : 64 mg/l
Exposure time: 0,5 h
Method: OECD Test Guideline 209

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 8,66 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

NOEC (Poecilia reticulata (guppy)): 2,10 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7,5 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Raphidocelis subcapitata (freshwater green alga)): 0,44 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

NOEC (Raphidocelis subcapitata (freshwater green alga)): 0,018 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes

M-Factor (Acute aquatic toxicity) : 1

Toxicity to microorganisms : EC50 : 64 mg/l
Exposure time: 0,5 h
Method: OECD Test Guideline 209

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,45 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

LOEC: 0,87 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Ecotoxicology Assessment

Acute aquatic toxicity : Very toxic to aquatic life.

Chronic aquatic toxicity : Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Product:

Biodegradability : Result: rapidly biodegradable
Biodegradation: 65 %
Related to: Theoretical oxygen demand
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Biodegradability : Result: rapidly biodegradable
Biodegradation: 65 %
Related to: Theoretical oxygen demand
Exposure time: 28 d
Method: OECD Test Guideline 301D
GLP: yes
Remarks: According to the results of tests of biodegradability this product is considered as being readily biodegradable.

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Bioconcentration factor (BCF): 202,4
Method: QSAR

Components:

tert-Butyl 2-ethylperoxyhexanoate:

Bioaccumulation : Bioconcentration factor (BCF): 202,4
Method: QSAR

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Product:

Endocrine disrupting potential : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of wastes in an approved waste disposal facility.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.
Clean container with water.
Dispose of contents/ container to an approved waste disposal plant.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

14.1 UN number

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

ADR	:	UN 3113
RID	:	UN 3113 Not permitted for transport
IMDG	:	UN 3113
IATA	:	UN 3113 Not permitted for transport

14.2 UN proper shipping name

ADR	:	ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXY-2-ETHYLHEXANOATE)
RID	:	ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED Not permitted for transport
IMDG	:	ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXY-2-ETHYLHEXANOATE)
IATA	:	ORGANIC PEROXIDE TYPE C, LIQUID, TEMPERATURE CONTROLLED Not permitted for transport

14.3 Transport hazard class(es)

	Class	Subsidiary risks
ADR	:	5.2
RID	:	Not permitted for transport
IMDG	:	5.2
IATA	:	Not permitted for transport

14.4 Packing group

ADR	
Packing group	: Not assigned by regulation
Classification Code	: P2
Labels	: 5.2
Tunnel restriction code	: (D)
RID	: Not permitted for transport
IMDG	
Packing group	: Not assigned by regulation
Labels	: 5.2
EmS Code	: F-F, S-R
IATA (Cargo)	: Not permitted for transport
IATA (Passenger)	: Not permitted for transport

14.5 Environmental hazards

ADR

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

Environmentally hazardous : yes

RID : Not permitted for transport

IMDG

Marine pollutant : yes

14.6 Special precautions for user

Additional advice

Temperature controlled transport.:
Control temperature : 20 °C
Emergency temperature : 25 °C

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations:

Gefahrgruppe nach TRGS 741: Ib, S+ (German regulatory requirements)

Produkt unterliegt dem Sprengstoffgesetz (SprengG; Stoffgruppe C). (German regulatory requirements)

The components of this product are reported in the following inventories:

TCSI (TW)	: On the inventory, or in compliance with the inventory
TSCA (US)	: All substances listed as active on the TSCA inventory
AIIC (AU)	: On the inventory, or in compliance with the inventory
DSL (CA)	: All components of this product are on the Canadian DSL
ENCS (JP)	: On the inventory, or in compliance with the inventory
ISHL (JP)	: On the inventory, or in compliance with the inventory
KECI (KR)	: On the inventory, or in compliance with the inventory
PICCS (PH)	: On the inventory, or in compliance with the inventory
IECSC (CN)	: On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

TECI (TH) : On the inventory, or in compliance with the inventory

15.2 Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.
For further information see eSDS.

SECTION 16: Other information

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of very high concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.
The hazards on the label also apply to residues in the con-

SAFETY DATA SHEET

TBPEH



Version	Revision Date:	SDS Number:	Date of last issue: 15.05.2023
1.1	18.12.2024	600000000001	Date of first issue: 15.05.2023

tainer.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ZA / EN