

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

SECTION 1: Identification of the hazardous chemical and of the supplier

Product identifier

Product name : TBPIN

Chemical name : tert-butyl 3,5,5-trimethylperoxyhexanoate

CAS-No. : 13122-18-4

Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators

Manufacturer or supplier's details

Company : United Initiators GmbH

Address : Dr.-Gustav-Adolph-Str. 3
82049 Pullach

Telephone : +49 / 89 / 74422 – 0

Emergency telephone number : +49 / 89 / 74422 – 0 (24 h)

E-mail address : contact@united-in.com

SECTION 2: Hazards identification

Classification of the hazardous chemical

Organic peroxides : Type D

Skin sensitisation : Category 1

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 3

Label elements

Hazard pictograms : 

Signal word : Danger

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

Hazard statements : H242 Heating may cause a fire.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : **Prevention:**
P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P220 Keep/Store away from clothing/ strong acids, bases,
heavy metal salts and other reducing substances /combustible
materials.
P234 Keep only in original container.
P261 Avoid breathing mist or vapours.
P272 Contaminated work clothing should not be allowed out of
the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P333 + P313 If skin irritation or rash occurs: Get medical ad-
vice/ attention.
P363 Wash contaminated clothing before reuse.
P391 Collect spillage.

Storage:
P410 Protect from sunlight.
P411 + P235 Store at temperatures not exceeding < 30 °C/ <
86 °F. Keep cool.
P420 Store away from other materials.

Disposal:
P501 Dispose of contents/ container to an approved waste
disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Substance / Mixture : Substance

Chemical nature : Organic Peroxide
liquid

Components

Chemical name	CAS-No.	Concentration (% w/w)
tert-butyl 3,5,5-trimethylperoxyhexanoate	13122-18-4	<= 100

SAFETY DATA SHEET

TBPIN



Version	Revision Date:	SDS Number:	Date of last issue: 19.11.2020
3.0	20.06.2024	600000000003	Date of first issue: 29.08.2019

SECTION 4: First aid measures

- General advice : Take off contaminated clothing and shoes immediately.
Call a physician immediately.
Never give anything by mouth to an unconscious person.
If unconscious, place in recovery position and seek medical advice.
Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Administer oxygen if breathing is difficult or cyanosis is observed.
If breathed in, move person into fresh air.
If not breathing, give artificial respiration.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If symptoms persist, call a physician.
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Wash contaminated clothing before re-use.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Call a physician immediately.
Keep respiratory tract clear.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
sensitising effects
- Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing
- Notes to physician : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

Extinguishing media

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

Suitable extinguishing media : Water spray jet
Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

Physicochemical hazards arising from the chemical

Specific hazards during fire-fighting : Risk of explosion if heated under confinement.
Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.
Avoid confinement.
Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite.
The product burns violently.
Flash back possible over considerable distance.
Do not allow run-off from fire fighting to enter drains or water courses.
Vapours may form explosive mixtures with air.
The product will float on water and can be reignited on surface water.
Cool closed containers exposed to fire with water spray.

Special protective equipment and precautions for fire-fighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use a water spray to cool fully closed containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Hazchem Code : 2WE

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentra-

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

tions. Vapours can accumulate in low areas.
Use personal protective equipment.
Remove all sources of ignition.
Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

SECTION 7: Handling and storage

Handling

Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).
Keep away from heat and sources of ignition.
Use only explosion-proof equipment.
Keep away from open flames, hot surfaces and sources of ignition.
Keep away from combustible material.

Advice on safe handling : Open drum carefully as content may be under pressure.
Protect from contamination.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.

SAFETY DATA SHEET

TBPIN



Version	Revision Date:	SDS Number:	Date of last issue: 19.11.2020
3.0	20.06.2024	600000000003	Date of first issue: 29.08.2019

Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Storage

Conditions for safe storage, including any incompatibilities

Conditions for safe storage : Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.
Store in cool place.
Keep in a well-ventilated place.
Contamination may result in dangerous pressure increases - closed containers may rupture.
Observe label precautions.
Store in accordance with the particular national regulations.
Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Materials to avoid : Keep away from combustible materials.
Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < 30 °C

Further information on storage stability : Stable under recommended storage conditions.

SECTION 8: Exposure controls and personal protection

Control parameters

Contains no substances with occupational exposure limit values.

Appropriate engineering controls : Minimize workplace exposure concentrations.

Individual protection measures, such as personal protective equipment

Eye/face protection : Ensure that eyewash stations and safety showers are close

SAFETY DATA SHEET

TBPIN



Version
3.0

Revision Date:
20.06.2024

SDS Number:
600000000003

Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

to the workstation location.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Tightly fitting safety goggles

Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Skin protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Wear as appropriate:
Flame retardant antistatic protective clothing.

Hand protection

Material : butyl-rubber
Break through time : <= 480 min
Glove thickness : 0.47 mm

Material : Nitrile rubber
Break through time : <= 480 min
Glove thickness : 0.40 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Hygiene measures : Avoid contact with skin, eyes and clothing.
Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

SECTION 9: Physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : very faint, ester-like

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/freezing point : < -25 °C
(1,013 hPa)

Initial boiling point and boiling range : Decomposition: Decomposes below the boiling point.

Flash point : 94 °C
Method: ISO 3679

Evaporation rate : No data available

Flammability (liquids) : Organic peroxide

Self-ignition : The substance or mixture is not classified as pyrophoric.

Upper explosion limit / Upper flammability limit : not determined

Lower explosion limit / Lower flammability limit : not determined

Vapour pressure : 0.03 hPa (30 °C)

Relative vapour density : not determined

Relative density : not determined

Density : 0.89 g/cm³ (20 °C)

Solubility(ies)
Water solubility : 0.0142 g/l insoluble (20 °C)

Partition coefficient: n-octanol/water : log Pow: 5.16

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

Auto-ignition temperature : not determined

Self-Accelerating decomposition temperature (SADT) : 60 °C
Method: UN-Test H.4
SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.

Viscosity

 Viscosity, dynamic : 5 mPa.s (20 °C)

 Viscosity, kinematic : not determined

Explosive properties : Not explosive In use, may form flammable/explosive vapour-air mixture.

Oxidizing properties : The substance or mixture is not classified as oxidizing.
Organic peroxide

Self-heating substances : The substance or mixture is not classified as self heating.

Refractive index : 1.431 (20 °C)

SECTION 10: Stability and reactivity

Reactivity : Stable under recommended storage conditions.
Heating may cause a fire or explosion.

Chemical stability : Stable under recommended storage conditions.
No decomposition if stored normally.

Possibility of hazardous reactions : Vapours may form explosive mixture with air.

Conditions to avoid : Protect from contamination.
Contact with incompatible substances can cause decomposition at or below SADT.
Heat, flames and sparks.
Avoid confinement.

Incompatible materials : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

Hazardous decomposition products : Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

SECTION 11: Toxicological information

Information on likely routes of exposure : None known.

Acute toxicity

Not classified due to lack of data.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate :

Acute oral toxicity : LD50 (Rat): 12,905 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 0.8 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD0 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : May cause skin irritation in susceptible persons.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate :

Species : Rabbit
Method : OECD Test Guideline 404
Result : No skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate :

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified due to lack of data.

Product:

Remarks : Causes sensitisation.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate :

Exposure routes : Skin contact
Species : Guinea pig
Method : OECD Test Guideline 406
Result : The product is a skin sensitiser, sub-category 1B.

Germ cell mutagenicity

Not classified due to lack of data.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate :

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Metabolic activation: Metabolic activation
Method: OECD Test Guideline 471
Result: positive

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Rat
Application Route: Oral
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified due to lack of data.

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate :

Remarks : This information is not available.

Reproductive toxicity

Not classified due to lack of data.

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Effects on fertility : Test Type: Reproduction/Developmental toxicity screening test
Species: Rat, male and female
Application Route: Oral
General Toxicity - Parent: NOAEL: 160 mg/kg bw/day
General Toxicity F1: NOAEL: 160 mg/kg bw/day
Method: OECD Test Guideline 421

General Toxicity - Parent: NOAEL: 50 mg/kg bw/day
Method: OECD Test Guideline 443

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Oral
General Toxicity Maternal: NOAEL: 150 mg/kg body weight
Method: OECD Test Guideline 414
Result: negative

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Species : Rat, male and female
NOAEL : 160 mg/kg
Application Route : oral (gavage)
Exposure time : 90 d
Method : OECD Test Guideline 408

Species : Rat, male and female
NOAEL : 50 mg/kg
Application Route : oral (gavage)
Exposure time : 28 d
Method : OECD Test Guideline 407

Aspiration toxicity

Not classified due to lack of data.

Further information

Product:

Remarks : No data available

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

SECTION 12: Ecological information

Ecotoxicity

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

- Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.03 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- NOEC (Oncorhynchus mykiss (rainbow trout)): 3 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0.52 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- Toxicity to algae/aquatic plants : NOEC (Pseudokirchneriella subcapitata (algae)): 0.125 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- EC50 (Pseudokirchneriella subcapitata (algae)): 0.51 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
- M-Factor (Acute aquatic toxicity) : 1
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Daphnia magna (Water flea)): 0.22 mg/l
Exposure time: 21 d
Method: OECD Test Guideline 211
- Toxicity to microorganisms : EC50 (Bacteria): 327.02 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

Persistence and degradability

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

- Biodegradability : aerobic
Result: Readily biodegradable.
Biodegradation: 72 %
Exposure time: 28 d
Method: OECD Test Guideline 301D

SAFETY DATA SHEET

TBPIN



Version	Revision Date:	SDS Number:	Date of last issue: 19.11.2020
3.0	20.06.2024	600000000003	Date of first issue: 29.08.2019

Bioaccumulative potential

Components:

tert-butyl 3,5,5-trimethylperoxyhexanoate:

Bioaccumulation : Bioconcentration factor (BCF): 375
Remarks: Calculation

Partition coefficient: n-octanol/water : log Pow: 5.16

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal information

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.
Clean container with water.
Dispose of contents/ container to an approved waste disposal plant.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: Transport information

International Regulations

UNRTDG

UN number : UN 3105
Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID
(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3105
Proper shipping name : Organic peroxide type D, liquid
(tert-Butyl peroxy-3,5,5-trimethylhexanoate)
Class : 5.2
Packing group : Not assigned by regulation
Labels : Organic Peroxides, Keep Away From Heat
Packing instruction (cargo aircraft) : 570
Packing instruction (passenger aircraft) : 570

IMDG-Code

UN number : UN 3105
Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID
(tert-BUTYL PEROXY-3,5,5-TRIMETHYLHEXANOATE)
Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-J, S-R
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Hazchem Code : 2WE

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15: Regulatory information

Safety, health, and environmental regulations specific for the hazardous chemical

Gefahrgruppe nach TRGS 741: Ib (German regulatory requirements)
Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013.
Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations 2000.

The components of this product are reported in the following inventories:

TCSI (TW) : On the inventory, or in compliance with the inventory
TSCA (US) : All substances listed as active on the TSCA inventory
AIC (AU) : On the inventory, or in compliance with the inventory

SAFETY DATA SHEET

TBPIN



Version 3.0 Revision Date: 20.06.2024 SDS Number: 600000000003 Date of last issue: 19.11.2020
Date of first issue: 29.08.2019

DSL (CA) : All components of this product are on the Canadian DSL

ENCS (JP) : On the inventory, or in compliance with the inventory

ISHL (JP) : On the inventory, or in compliance with the inventory

KECI (KR) : On the inventory, or in compliance with the inventory

PICCS (PH) : On the inventory, or in compliance with the inventory

IECSC (CN) : On the inventory, or in compliance with the inventory

TECI (TH) : On the inventory, or in compliance with the inventory

SECTION 16: Other information

Revision Date : 20.06.2024

Further information

Other information : This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.
The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : dd.mm.yyyy

Full text of other abbreviations

AllC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory con-

SAFETY DATA SHEET

TBPIN



Version	Revision Date:	SDS Number:	Date of last issue: 19.11.2020
3.0	20.06.2024	600000000003	Date of first issue: 29.08.2019

centration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

MY / EN