

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : TBPND

Chemical nature : Organic Peroxide
liquid

Manufacturer or supplier's details

Company : United Initiators (Shanghai) Co., Ltd

Address : Room 501, Bldg. 1, No. 1 Shangda Road
Shanghai, China, 200444

Emergency telephone number : +86 21 61172762

E-mail address : cs-initiators.cn@united-in.com

Recommended use of the chemical and restrictions on use

Recommended use : polymerisation initiators

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	: liquid
Colour	: colourless
Odour	: ester-like

Combustible liquid. Heating may cause a fire. Causes skin irritation. May cause an allergic skin reaction. Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

GHS Classification

Flammable liquids : Category 4

Organic peroxides : Type D

Skin corrosion/irritation : Category 2

Skin sensitisation : Category 1

Short-term (acute) aquatic hazard : Category 1

Long-term (chronic) aquatic hazard : Category 2

GHS label elements

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Hazard pictograms

:



Signal word

:

Danger

Hazard statements

:

H227 Combustible liquid.
H242 Heating may cause a fire.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

:

Prevention:

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.
No smoking.
P220 Keep/ Store away from clothing/ combustible materials.
P234 Keep only in original container.
P261 Avoid breathing mist or vapours.
P264 Wash skin thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P370 + P378 In case of fire: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide to extinguish.
P391 Collect spillage.

Storage:

P410 Protect from sunlight.
P411 + P235 Store at temperatures not exceeding < -10 °C/
< 14 °F. Keep cool.
P420 Store away from other materials.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Physical and chemical hazards

Combustible liquid. Heating may cause a fire.

Health hazards

Causes skin irritation. May cause an allergic skin reaction.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Environmental hazards

Very toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture	:	Substance
Substance name	:	tert-Butyl peroxyneodecanoate
CAS-No.	:	26748-41-4

Components

Chemical name	CAS-No.	Concentration (% w/w)
tert-Butyl peroxyneodecanoate	26748-41-4	≥ 95 - ≤ 100

4. FIRST AID MEASURES

General advice	:	Take off contaminated clothing and shoes immediately. Call a physician immediately. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice. Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	:	Administer oxygen if breathing is difficult or cyanosis is observed. If breathed in, move person into fresh air. If not breathing, give artificial respiration. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If symptoms persist, call a physician. In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash contaminated clothing before re-use. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version 2.1	Revision Date: 2025/02/25	SDS Number: 600000000014	Date of last issue: 2023/11/27 Date of first issue: 2023/01/17
----------------	------------------------------	-----------------------------	---

If swallowed	: Call a physician immediately. Rinse mouth thoroughly with water. Keep respiratory tract clear. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	: Causes skin irritation. May cause an allergic skin reaction. sensitising effects
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing
Notes to physician	: Treat symptomatically and supportively.

5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Water spray jet Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: Risk of explosion if heated under confinement. Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up. Avoid confinement. Contact with incompatible materials or exposure to temperatures exceeding SADT may result in a self-accelerating decomposition reaction with release of flammable vapors which may auto-ignite. The product burns violently. Flash back possible over considerable distance. Do not allow run-off from fire fighting to enter drains or water courses. Vapours may form explosive mixtures with air. The product will float on water and can be reignited on surface water. Cool closed containers exposed to fire with water spray.
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use a water spray to cool fully closed containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version 2.1	Revision Date: 2025/02/25	SDS Number: 600000000014	Date of last issue: 2023/11/27 Date of first issue: 2023/01/17
----------------	------------------------------	-----------------------------	---

Do not use a solid water stream as it may scatter and spread fire.
Remove undamaged containers from fire area if it is safe to do so.
Use water spray to cool unopened containers.

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.
Use personal protective equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Follow safe handling advice and personal protective equipment recommendations.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Use personal protective equipment.
Remove all sources of ignition.

Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : Contact with incompatible substances can cause decomposition at or below SADT.
Clear spills immediately.
Suppress (knock down) gases/vapours/mists with a water spray jet.
To clean the floor and all objects contaminated by this material, use plenty of water.
Soak up with inert absorbent material.
Isolate waste and do not reuse.
Non-sparking tools should be used.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.

Prevention of secondary hazards : Never return spills in original containers for re-use.
Treat recovered material as described in the section "Disposal considerations".

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

7. HANDLING AND STORAGE

Handling

- Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.
- Advice on protection against fire and explosion : Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours).
Keep away from heat and sources of ignition.
Use only explosion-proof equipment.
Keep away from open flames, hot surfaces and sources of ignition.
Keep away from combustible material.
Do not spray on a naked flame or any incandescent material.
- Advice on safe handling : Open drum carefully as content may be under pressure.
Protect from contamination.
Do not swallow.
Do not breathe vapours/dust.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Avoid formation of aerosol.
Take precautionary measures against static discharges.
Never return any product to the container from which it was originally removed.
Provide sufficient air exchange and/or exhaust in work rooms.
Avoid confinement.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Smoking, eating and drinking should be prohibited in the application area.
Wash thoroughly after handling.
For personal protection see section 8.
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.
- Avoidance of contact : Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents

Storage

- Conditions for safe storage : Store in original container.
Keep containers tightly closed in a cool, well-ventilated place.
Store in cool place.
Keep in a well-ventilated place.
Contamination may result in dangerous pressure increases - closed containers may rupture.
Observe label precautions.
Store in accordance with the particular national regulations.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Avoid impurities (e.g. rust, dust, ash), risk of decomposition.
Electrical installations / working materials must comply with the technological safety standards.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Materials to avoid : Keep away from combustible materials.
Keep away from strong acids, bases, heavy metal salts and other reducing substances.

Recommended storage temperature : < -10 °C

Further information on storage stability : Stable under recommended storage conditions.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Minimize workplace exposure concentrations.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.

Filter type : ABEK-filter

Eye/face protection : Ensure that eyewash stations and safety showers are close to the workstation location.
Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.
Tightly fitting safety goggles
Please wear suitable protective goggles. Also wear face protection if there is a splash hazard.

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Additional body garments should be used based upon the task being performed (e.g., sleevelets, apron, gauntlets, disposable suits) to avoid exposed skin surfaces.
Wear as appropriate:
Flame retardant antistatic protective clothing.

Hand protection
Material : Nitrile rubber

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version 2.1	Revision Date: 2025/02/25	SDS Number: 600000000014	Date of last issue: 2023/11/27 Date of first issue: 2023/01/17
----------------	------------------------------	-----------------------------	---

Break through time : 480 min
Glove thickness : 0.40 mm

Remarks : The data about break through time/strength of material are standard values! The exact break through time/strength of material has to be obtained from the producer of the protective glove. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Protective measures : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures : Avoid contact with skin, eyes and clothing.
Keep away from food and drink.
When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : colourless

Odour : ester-like

Odour Threshold : No data available

pH : substance/mixture is non-soluble (in water)

Melting point/ range : < -20 °C

Initial boiling point and boiling range : Decomposition: Decomposes below the boiling point.

Flash point : 62 °C

Method: closed cup
Decomposition

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Evaporation rate	:	No data available
Flammability (liquids)	:	Flammable liquid Remarks: Organic peroxide
Self-ignition	:	The substance or mixture is not classified as pyrophoric.
Upper explosion limit / Upper flammability limit	:	not determined
Lower explosion limit / Lower flammability limit	:	not determined
Vapour pressure	:	0.53 hPa (65 °C)
Relative vapour density	:	No data available
Relative density	:	not determined
Density	:	0.898 g/cm ³ (20 °C)
Solubility(ies) Water solubility	:	0.009 g/l insoluble (0 °C)
Auto-ignition temperature	:	not determined Decomposition
Self-Accelerating decomposition temperature (SADT)	:	15 °C Method: UN-Test H.4 SADT-Self Accelerating Decomposition Temperature. Lowest temperature at which the tested package size will undergo a self-accelerating decomposition reaction.
Viscosity Viscosity, dynamic	:	6.3 mPa.s (20 °C)
Viscosity, kinematic	:	not determined
Explosive properties	:	Not explosive In use, may form flammable/explosive vapour-air mixture.
Oxidizing properties	:	The substance or mixture is not classified as oxidizing. Organic peroxide
Self-heating substances	:	The substance or mixture is not classified as self heating.
Refractive index	:	1.437 (20 °C)

10. STABILITY AND REACTIVITY

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version 2.1	Revision Date: 2025/02/25	SDS Number: 600000000014	Date of last issue: 2023/11/27 Date of first issue: 2023/01/17
----------------	------------------------------	-----------------------------	---

Reactivity	: Stable under recommended storage conditions. Heating may cause a fire or explosion.
Chemical stability	: Stable under recommended storage conditions. No decomposition if stored normally.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Protect from contamination. Contact with incompatible substances can cause decomposition at or below SADT. Heat, flames and sparks. Avoid confinement.
Incompatible materials	: Accelerators, strong acids and bases, heavy metals and heavy metal salts, reducing agents
Hazardous decomposition products	: Irritant, caustic, flammable, noxious/toxic gases and vapours can develop in the case of fire and decomposition

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Based on available data, the classification criteria are not met.

Product:

Acute oral toxicity	: LD50 (Rat, male and female): 8,082 mg/kg Method: OECD Test Guideline 401 Remarks: The value is calculated
Acute inhalation toxicity	: LC50 (Rat, male and female): 37.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 Remarks: The value is calculated
Acute dermal toxicity	: LD50 (Rabbit, male and female): > 6,000 mg/kg Method: OECD Test Guideline 402 Remarks: The value is calculated

Components:

tert-Butyl peroxyneodecanoate:

Acute oral toxicity	: LD50 (Rat, male and female): 8,082 mg/kg Method: OECD Test Guideline 401 Remarks: The value is calculated
Acute inhalation toxicity	: LC50 (Rat, male and female): 37.5 mg/l Exposure time: 4 h

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Test atmosphere: dust/mist
Method: OECD Test Guideline 403
Remarks: The value is calculated

Acute dermal toxicity : LD50 (Rabbit, male and female): > 6,000 mg/kg
Method: OECD Test Guideline 402
Remarks: The value is calculated

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Remarks : May cause skin irritation in susceptible persons.

Components:

tert-Butyl peroxyneodecanoate:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Skin irritation

Serious eye damage/eye irritation

Based on available data, the classification criteria are not met.

Product:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.

Components:

tert-Butyl peroxyneodecanoate:

Species : Rabbit
Result : No eye irritation
Method : OECD Test Guideline 405

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Respiratory sensitisation

Not classified due to lack of data.

Product:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Remarks	:	Causes sensitisation.
---------	---	-----------------------

Components:

tert-Butyl peroxyneodecanoate:

Species	:	Guinea pig
Method	:	OECD Test Guideline 406
Result	:	May cause sensitisation by skin contact.

Germ cell mutagenicity

Not classified due to lack of data.

Product:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Test system: Escherichia coli Method: OECD Test Guideline 471 Result: positive
-----------------------	---	--

	:	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
--	---	--

Genotoxicity in vivo	:	Test Type: In vivo micronucleus test Species: Mouse (male and female) Application Route: Intraperitoneal injection Method: OECD Test Guideline 474 Result: negative
----------------------	---	---

Components:

tert-Butyl peroxyneodecanoate:

Genotoxicity in vitro	:	Test Type: Bacterial reverse mutation assay (AMES) Test system: Escherichia coli Method: OECD Test Guideline 471 Result: positive
-----------------------	---	--

	:	Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Method: OECD Test Guideline 476 Result: negative
--	---	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Genotoxicity in vivo : Test Type: In vivo micronucleus test
Species: Mouse (male and female)
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative

Carcinogenicity

Not classified due to lack of data.

Product:

Remarks : This information is not available.

Components:

tert-Butyl peroxyneodecanoate:

Remarks : This information is not available.

Reproductive toxicity

Not classified due to lack of data.

Product:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 60 mg/kg body weight
General Toxicity F1: NOAEL: 60 mg/kg body weight
Fertility: NOAEL Mating/Fertility: 200 mg/kg body weight
Method: OECD Test Guideline 422

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Strain: wistar
Application Route: Oral
General Toxicity Maternal: NOAEL: 60 mg/kg body weight
Teratogenicity: NOAEL: 200 mg/kg body weight
Developmental Toxicity: NOAEL: 60 mg/kg body weight
Method: OECD Test Guideline 414

Components:

tert-Butyl peroxyneodecanoate:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Application Route: Oral
General Toxicity - Parent: NOAEL: 60 mg/kg body weight
General Toxicity F1: NOAEL: 60 mg/kg body weight
Fertility: NOAEL Mating/Fertility: 200 mg/kg body weight

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Method: OECD Test Guideline 422

Effects on foetal development : Test Type: Combined repeated dose toxicity study with the reproduction/developmental toxicity screening test
Species: Rat
Strain: wistar
Application Route: Oral
General Toxicity Maternal: NOAEL: 60 mg/kg body weight
Teratogenicity: NOAEL: 200 mg/kg body weight
Developmental Toxicity: NOAEL: 60 mg/kg body weight
Method: OECD Test Guideline 414

STOT - single exposure

Not classified due to lack of data.

STOT - repeated exposure

Not classified due to lack of data.

Repeated dose toxicity

Product:

Species : Rat, male and female
NOAEL : 160 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Components:

tert-Butyl peroxyneodecanoate:

Species : Rat, male and female
NOAEL : 160 mg/kg
Application Route : Oral
Exposure time : 90 d
Method : OECD Test Guideline 408
Remarks : Based on data from similar materials

Aspiration toxicity

Not classified due to lack of data.

Product:

No data available

Components:

tert-Butyl peroxyneodecanoate:

No data available

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version 2.1	Revision Date: 2025/02/25	SDS Number: 600000000014	Date of last issue: 2023/11/27 Date of first issue: 2023/01/17
----------------	------------------------------	-----------------------------	---

Further information

Product:

Remarks : No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 0.33 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 NOEC (Danio rerio (zebra fish)): 0.24 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 0.79 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 NOEC (Daphnia magna (Water flea)): 0.381 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	: ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.48 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 NOEC (Pseudokirchneriella subcapitata (green algae)): 0.03 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC (Daphnia magna (Water flea)): 0.049 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	: EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Components:

tert-Butyl peroxyneodecanoate:

Toxicity to fish	:	LC50 (Danio rerio (zebra fish)): 0.33 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 NOEC (Danio rerio (zebra fish)): 0.24 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 0.79 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 NOEC (Daphnia magna (Water flea)): 0.381 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
Toxicity to algae/aquatic plants	:	ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.48 mg/l End point: Growth rate Exposure time: 72 h Method: OECD Test Guideline 201
M-Factor (Acute aquatic toxicity)	:	1
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): 0.049 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to microorganisms	:	EC50: > 1,000 mg/l Exposure time: 3 h Test Type: Respiration inhibition of activated sludge Method: OECD Test Guideline 209

Persistence and degradability

Product:

Biodegradability	:	Test Type: aerobic Result: rapidly biodegradable Exposure time: 28 d Method: OECD Test Guideline 301D
------------------	---	--

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Components:

tert-Butyl peroxyneodecanoate:

Biodegradability : aerobic
Result: rapidly biodegradable
Exposure time: 28 d
Method: OECD Test Guideline 301D

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Very toxic to aquatic life.
Toxic to aquatic life with long lasting effects.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.
The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.

Contaminated packaging : Dispose of in accordance with local regulations.
Clean container with water.
Dispose of contents/ container to an approved waste disposal plant.
Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 3115
Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED
(tert-BUTYL PEROXYNEODECANOATE)

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
Environmentally hazardous : yes

IATA-DGR

Not permitted for transport

IMDG-Code

UN number : UN 3115
Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYNEODECANOATE)

Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
EmS Code : F-F, S-R
Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

GB 6944/12268

UN number : UN 3115
Proper shipping name : ORGANIC PEROXIDE TYPE D, LIQUID, TEMPERATURE CONTROLLED (tert-BUTYL PEROXYNEODECANOATE)

Class : 5.2
Packing group : Not assigned by regulation
Labels : 5.2
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Additional advice

Temperature controlled transport.:
Control temperature : -5 °C
Emergency temperature : 5 °C

15. REGULATORY INFORMATION

National regulatory information

Gefahrgruppe nach TRGS 741: Ia (German regulatory requirements)

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

Identification of Major Hazard Installations for Hazardous Chemicals (GB 18218)

No. / Code	Chemical name / Category	Threshold quantity
W7.2	Organic peroxides	50 t
Hazardous Chemicals for Priority Management under SAWS		: Listed

Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not listed

Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

China Severely Restricted Toxic Chemicals for Import and Export : Not listed

Regulation on the Administration of Precursor Chemicals

Catalogue and Classification of Precursor Chemicals : Not listed

The components of this product are reported in the following inventories:

TCSI (TW)	: On the inventory, or in compliance with the inventory
TSCA (US)	: All substances listed as active on the TSCA inventory
AIIC (AU)	: On the inventory, or in compliance with the inventory
DSL (CA)	: All components of this product are on the Canadian DSL
ENCS (JP)	: On the inventory, or in compliance with the inventory
ISHL (JP)	: On the inventory, or in compliance with the inventory
KECI (KR)	: On the inventory, or in compliance with the inventory
PICCS (PH)	: On the inventory, or in compliance with the inventory
IECSC (CN)	: On the inventory, or in compliance with the inventory
TECI (TH)	: On the inventory, or in compliance with the inventory

16. OTHER INFORMATION

Revision Date : 2025/02/25

Further information

Other information : This safety datasheet only contains information relating to

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

safety and does not replace any product information or product specification.
These safety instructions also apply to empty packaging which may still contain product residues.
The hazards on the label also apply to residues in the container.

Sources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Date format : yyyy/mm/dd

Full text of other abbreviations

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide-

SAFETY DATA SHEET

according to GB/T 16483 and GB/T 17519



TBPND

Version	Revision Date:	SDS Number:	Date of last issue: 2023/11/27
2.1	2025/02/25	600000000014	Date of first issue: 2023/01/17

ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN